



Test Report

Report No.:SFT19060351E

Date: Jun.25,2019

Page 1 of 11

Applicant: ShenZhen Dosly Tech Co., Ltd

Address: B1203 Bulong Building Sanlian Community Jihua Street Longgang District, Shenzhen

The following merchandise was (were) submitted and identified by client as:

Sample Name: game controller
Model No.: H3-02, DSL-01, DSL-200, DSL-02, DSL-03
Description: game controller
Date of Manufacturing: 2019.04.20
Country of Origin: Guang Dong Shen Zhen
Manufacturer: ShenZhen Dosly Tech Co., Ltd
Address: B1203 Bulong Building Sanlian Community Jihua Street Longgang District, Shenzhen
Importer: IHK LLC
Address: 4742 STONEY POINT COURT SUGAR LAND · Texas United States, 77479
Age grading: 8+
Age group applied in testing: Over 8 years
Receive date: Jun.17,2019
Test Period: From Jun.17,2019 to Jun.20,2019

SUMMARY OF TEST RESULTS

TEST REQUESTED	CONCLUSION
Physical and Mechanical Properties - Standard Consumer Safety Specification on Toy Safety ASTM F963-17	PASS
Flammability - Standard Consumer Safety Specification on Toy Safety ASTM F963-17	PASS
Total Lead Content in Substrate- Standard Consumer Safety Specification on Toy Safety ASTM F963-17	PASS
Soluble Heavy Metals Content in Substrate - ASTM International Standard ASTM F963-17, Section 4.3.5.2(2)(b)	PASS

Continued on next page

Signed for and on Behalf of SFT



Jack Zhong / Technical Manager
Guangdong Safety Testing Co., Ltd.

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Guangdong Safety Testing Co., Ltd.

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan,
Guangdong, China
Tel:86-769-23105888 Fax: 86-769-22899858 <http://www.sft-cert.com/>



Test Report

Report No.:SFT19060351E

Date: Jun.25,2019

Page 2 of 11

TEST REQUESTED	CONCLUSION
Total Lead Content in Surface Coating - United States Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 101(a)(2)	PASS
Total Lead Content in Substrate - United States Consumer Product Safety Improvement Act (CPSIA) Section 101(a)(2)	PASS
Phthalates Content in Children's Toys and Childcare Articles (Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 108(a) Prohibition on Sale of Certain Products Containing Specified Phthalates - BBP / DBP / DEHP Content)	PASS
Phthalates Content in Children's Toys and Childcare Articles (Consumer Product Safety Improvement Act (CPSIA) of 2008 with its Amendments Commission Delegated Directive 16CFR1307 Sec. 108(b)(3) Prohibition on Sale of Certain Products Containing Specified Phthalates - DINP / DIBP / DPENP/DHEXP/DCHP Content)	PASS
Phthalates Content in Children's Toys and Childcare Articles (Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 108(b)(1) Prohibition on Sale of Certain Products Containing Specified Phthalates - DNOP /DIDP Content)	PASS

Test Result(s): Please refer to next page(s).

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Guangdong Safety Testing Co., Ltd.

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan, Guangdong, China
Tel:86-769-23105888 Fax: 86-769-22899858 <http://www.sft-cert.com/>

Test Report

Report No.:SFT19060351E

Date: Jun.25,2019

Page 3 of 11

Test Result(s):

Physical and Mechanical Properties - ASTM F963-17

Test method: ASTM F963-17

Section	Testing Items	Assessment
4.1	Material quality (visual check on cleanliness)	PASS
4.5	Sound-producing toys	NA
4.6	Small objects	NA
4.6.1	Toys that are intended for children under 36 months of age	NA
4.6.2	Mouth-actuated toys	NA
4.6.3	Toys and games that are intended for use by children who are at least three years old but less than six years of age	NA
4.7	Accessible edges	PASS
4.8	Projections	NA
4.9	Accessible points	PASS
4.10	Wires or rods	NA
4.11	Nails and fasteners	PASS
4.12	Plastic film	PASS
4.13	Folding mechanisms and hinges	NA
4.14	Cords, straps and elastics	NA
4.15	Stability and over-load requirements	NA
4.16	Confined spaces	NA
4.17	Wheels, tires, and axles	NA
4.18	Holes, clearance, and accessibility of mechanisms	NA
4.19	Simulated protective devices	NA
4.20	Pacifiers	NA
4.21	Projectile toys	NA
4.22	Teether and teething toys	NA
4.23	Rattles	NA
4.24	Squeeze toys	NA
4.25	Battery-operated toys	NC
4.26	Toys intended to be attached to a crib or playpen	NA
4.27	Stuffed and beanbag-type toys	NA
4.28	Stroller and carriage toys	NA
4.29	Art materials	NA

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Test Report

Report No.:SFT19060351E

Date: Jun.25,2019

Page 4 of 11

4.30	Toy gun marking	NA
4.31	Balloons	NA
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pompoms	NA
4.36	Hemispheric-Shaped Objects	NA
4.37	Yo Yo Elastic Tether Toys	NA
4.38	Magnets	NA
4.39	Jaw Entrapment in Handles and Steering Wheels	NA
4.40	Expanding materials	NA
4.41	Toy chests	NA
5	Labeling requirements	
5.1	Federal government requirements	NA
5.2	Age grading labeling	See remark
	Remark: The toy or package should indicate the minimum age for intended use.	
5.3	Safety labeling requirements	NA
5.4	Aquatic toys	NA
5.5	Crib and playpen toys	NA
5.6	Mobiles	NA
5.7	Stroller and carriage toys	NA
5.8	Toys intended to be assembled by an adult	NA
5.9	Simulated protective devices	NA
5.10	Toys with functional sharp edges or points	NA
5.11	Small objects, small balls , marbles, and balloons	NA
5.12	Toy caps	NA
5.13	Art materials	NA
5.14	Electric toys	NA
5.15	Battery-operated toys	NC
5.16	Promotional materials	NA
5.17	Magnets	NA
6	Instructional literature	
6.1	Definition and description	NA
6.2	Crib and playpen toys	NA

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Test Report

Report No.:SFT19060351E

Date: Jun.25,2019

Page 5 of 11

6.3	Mobiles	NA
6.4	Toys intended to be assembled by an adult	NA
6.5	Battery-operated toys	NA
6.6	Battery powered ride-on toys	NA
6.7	Toys in contact with food	NA
6.8	Toys chests	NA
7	Producer's markings	
7.1	Producer's markings	PASS
7.2	Battery-powered ride-on toys	NA
7.3	Toys chests	NA

Note / Key :

NA = Not Applicable.

NC= Not Conducted as per client's request.

Clause	Testing Items	Assessment
8.5	Normal use testing	PASS
8.5.1	Washable test	NA
8.6	Abuse Testing	NA
8.7	Impact test	NA
8.8	Torque test	NA
8.9	Tension test	NA
8.10	Compression test	NA
8.12	Flexure test	NA
8.16	Tension test for pompoms	NA

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Test Report

Report No.:SFT19060351E

Date: Jun.25,2019

Page 6 of 11

Flammability - Standard Consumer Safety Specification on Toy Safety ASTM F963-17

Test method: CPSC 16 CFR 1500.44

As per section 4.2 of the standard consumer safety specification on toy safety ASTM F963-17

Sample	Burn rate (inch/sec.)	Limit (inch/sec.)
game controller	DNI	0.10

Note / Key :

1. DNI = Did not ignite.
2. IBE = Ignited but self-extinguished before burn-rate could be determined.
3. All styles of the submitted toy samples (and its accessories) was/were tested, the above result only showed the most severe burn rate of the samples.
4. *Burning rate has been rounded to the nearest one tenth of an inch per second.
5. The burn rate of a composite product (that is solid/fabric combined)exceeds 0.1 in./s in part due to the presence of a permanently attached fabric, then a secondary test to fabric separately was conducted in accordance the standard

Total Lead Content in Substrate- Standard Consumer Safety Specification on Toy Safety ASTM F963-17

Test method: ASTM F963-17 Section 8.3

Maximum Allowable Limit :	100 mg/kg	
Test Item(s)	Result (Unit :mg/kg)	Conclusion
2	ND	PASS

Note / Key :

ND = Not detected
 mg/kg = milligram per kilogram = ppm = part per million
 Detection Limit (mg/kg) : 10

Remark : Tested part(s) was/were specified by client

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Test Report

Report No.:SFT19060351E

Date: Jun.25,2019

Page 7 of 11

Soluble Heavy Metals Content in Substrate - ASTM International Standard ASTM F963-17, Section 4.3.5.2(b)

Test method: ASTM F963-17, Section 8.3.5 (Excluding 8.3.5.5(3)).

Soluble Element(s)	As	Ba	Cd	Cr	Hg	Pb	Sb	Se
Maximum Allowable Limit (mg/kg)	25	1 000	75	60	60	90	60	500
Analytical Correction (%)	60	30	30	30	50	30	60	60
	Unit	Result						
Test Item(s)	-	2	-	-	-	-	-	-
Soluble Arsenic (As)	mg/kg	ND	-	-	-	-	-	-
Soluble Barium (Ba)	mg/kg	ND	-	-	-	-	-	-
Soluble Cadmium (Cd)	mg/kg	ND	-	-	-	-	-	-
Soluble Chromium (Cr)	mg/kg	ND	-	-	-	-	-	-
Soluble Mercury (Hg)	mg/kg	ND	-	-	-	-	-	-
Soluble Lead (Pb)	mg/kg	ND	-	-	-	-	-	-
Soluble Antimony (Sb)	mg/kg	ND	-	-	-	-	-	-
Soluble Selenium (Se)	mg/kg	ND	-	-	-	-	-	-
Conclusion	-	PASS	-	-	-	-	-	-

Note / Key :

ND = Not detected

mg/kg = milligram per kilogram = ppm = part per million

Remark : Tested part(s) was/were specified by client

Total Lead Content in Surface Coating - United States Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 101(a)(2)

Test method: U. S. CPSC-CH-E1003-09.1, Analyzed by Inductively Coupled Plasma Optical Emission Spectrometry.

Maximum Allowable Limit :	90 mg/kg	
Test Item(s)	Result (Unit :mg/kg)	Conclusion
4	ND	PASS

Note / Key :

ND = Not detected

Detection Limit (mg/kg) : 10

NA = Not available

mg/kg = milligram per kilogram = ppm = part per million

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Test Report

Report No.:SFT19060351E

Date: Jun.25,2019

Page 9 of 11

Phthalates Content in Children's Toys and Childcare Articles (Consumer Product Safety Improvement Act (CPSIA) of 2008 with its Amendments Commission Delegated Directive 16CFR1307 Sec. 108(b)(3) Prohibition on Sale of Certain Products Containing Specified Phthalates - DINP / DIBP / DPENP/DHEXP/DCHP Content)

Test method: U. S. CPSC-CH-C1001-09.4, Analyzed by Gas Chromatography-Mass Spectrometer.

Analyte	Requirement (%w/w)	Result(%w/w)				
		Test Item(s)				
		1+2+3	-	-	-	-
Di-isononyl phthalate (DINP)	0.1	ND	-	-	-	-
Diisobutyl phthalate (DIBP)	0.1	ND	-	-	-	-
Dipentyl phthalate(DPENP)	0.1	ND	-	-	-	-
Diethyl phthalate(DHEXP)	0.1	ND	-	-	-	-
Dicyclohexyl phthalate (DCHP)	0.1	ND	-	-	-	-
Conclusion	-	PASS	-	-	-	-

Note / Key :

ND = Not detected Detection Limit : 0.005%
 mg/kg = milligram per kilogram = ppm = part per million
 10 000 mg/kg = 1 % % = percent

U. S. = United States

Remark : Tested part(s) was/were specified by client
 Composite testing(s) was/were specified by client

Phthalates Content in Children's Toys and Childcare Articles (Consumer Product Safety Improvement Act (CPSIA) of 2008 Sec. 108(b)(1) Prohibition on Sale of Certain Products Containing Specified Phthalates - DNOP /DIDP Content)

Test method: U. S. CPSC-CH-C1001-09.3, Analyzed by Gas Chromatography-Mass Spectrometer.

Analyte	Requirement (%w/w)	Result(%w/w)				
		Test Item(s)				
		1+2+3	-	-	-	-
Di-n-octyl phthalate (DNOP)	0.1	ND	-	-	-	-
Di-isodecyl phthalate (DIDP)	0.1	ND	-	-	-	-
Conclusion	-	PASS	-	-	-	-

Note / Key :

ND = Not detected Detection Limit : 0.005%
 mg/kg = milligram per kilogram = ppm = part per million
 10 000 mg/kg = 1 % % = percent

U. S. = United States

Remark : Tested part(s) was/were specified by client
 Composite testing(s) was/were specified by client

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Test Report


Report No.:SFT19060351E

Date: Jun.25,2019

Page 10 of 11

Test Item	Sample Description/ Location	Style
1	White plastic (white/black painted hand shank)	-
2	Black plastic (black hand shank)	-
3	Blue plastic (blue hand shank)	-
4	Black coating (white/black painted hand shank)	-

Photo of Sample



Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Test Report

Report No.:SFT19060351E

Date: Jun.25,2019

Page 11 of 11



Product Name: game controller

Model No.: H3-02, DSL-01, DSL-200

Manufacturer: ShenZhen Dosly Tech Co.,Ltd

Address: B1203 Bulong Building Sanlian Community Jihua Street Longgang District, Shenzhen

Date of Manufacturing: 2019.04.20

Country of Manufacturing: Guang Dong Shen Zhen

Age of application:8+

End of Report

Unless otherwise stated the results shown in this report refer only to the sample(s) tested. This test report cannot be reproduced, except in full. Without prior written permission of the company,

Guangdong Safety Testing Co., Ltd.

No.1, the 1st North Industry Road, Songshan Lake Sci.&Tech. Park, Dongguan, Guangdong, China

Tel:86-769-23105888

Fax: 86-769-22899858

<http://www.sft-cert.com/>